




Basic information :

Basic color of product	Not applicable
Type of electrical connection	N/A
Product group	Hob
Brand	HISENSE
Product family	HI4
Product name / Commercial code	HI6401MSC
Commercial code	748853
EAN code	3838783246035
Construction type	Built-in
Control type	Electronic
Energy input	Electric
Total number of positions that can be	4
Number of gas burners	0
Number of electric cooking zones	4
Number of electric plates	0
Number of radiant plates	0
Number of halogen plates	0
Number of induction plates	4
Number of electric warming zones	4
Location of control panel	Front
Basic external material of hob surface	Ceramic Glass
Hob color	N/A
Hob frame material	Without frame
Hob edges	Bevelled edges
Electrical connection rating	7200 W
Gas connection rating	0 W
Current	0,0
Voltage	220-240 V
Frequency	50-60 Hz
Marks of conformity	CE,4.00,SVBI6
Plug type	Without plug, supply cord 3 X 4
Width of the product	595 mm
Height of the product	54 mm

Depth of the product	520 mm
Width of the packed product	650 mm
Height of the packed product	100 mm
Depth of the packed product	590 mm
Min height of installation niche	70 mm
Max height of installation niche	0 mm
Min width of installation niche	560 mm
Max width of installation niche	562 mm
Depth of installation niche	490 mm
Net weight	7,8 kg
Gross weight	8,3 kg
Location of control panel	N/A

Features :

Short description of the product	BI6DD-B0 - HI6401MSC - HI4
Time-setting options	N/A
Capability of wireless communication	N/A
Possibility to combine cooking zones/	No
Automatic programmes	No
Location of 1st heating element	Front left
Type of 1st heating element	Induction heating element
Dimension of 1st heating element	180 mm
Power of 1st heating element	1500/2000/0,0 W
Location of 2nd heating element	Rear left
Type of 2nd heating element	Induction heating element
Dimension of 2nd heating element	180 mm
Power of 2nd heating element	1500/2000/0,0 W
Location of 3rd heating element	Rear right
Type of 3rd heating element	Induction heating element
Dimension of 3rd heating element	145 mm
Power of 3rd heating element	1200/1600/0,0 W
Location of 4th heating element	Front right
Type of 4th heating element	Induction heating element
Dimension of 4th heating element	230 mm
Power of 4th heating element	1500/2000/0,0 W
Power on indicator	Yes
Plate on indicator	4
Type of regulation	Step energy regulated
Type of lid	Without
Type of safety device for gas	4
Residual heat indicator	Four parts
Main on/off switch	No
Safety device	Yes
Electronic timer	No
Accessories included	
Electronic timer	No

Energy label information / Performance :

Application of EU Energy Label Regulation	Yes
Energy Smart appliance, able to optimise energy consumption	Yes
Power consumption in off mode	0 W
Time needed for the appliance to react after being switched on	1 min

Power consumption in standby mode 0,5 W

Power consumption in networked standby N/A

Installation sketch :

